

المراجع

المراجع العربية:

قطاية، سلمان ومغاربة، وحيد (١٩٨٣م)، شخصيات الطب العربي في لوحات، دار كاثرين للنشر، فرنسا.

المراجع الأجنبية:

- AbdelMoty, S. G., S. Sakai, N. Aimi, H. Takayama, M. Kitajima, A. El-Shorbagi, A. N. Ahmed and N. M. Omer. (1997). Synthesis of Cytotoxic 1-Polyhydroxyalkyl- β -carboline Derivatives. *Eur. J. Med. Chem.* 32:(12), 1009-1017 .
- Abraham, D. J., Rosenstein, R. D., Lyon, R. L., and Fong, H. H. S. (1972). The structure elucidation of Rhazinilam, a new class of Alkaloids from the apocynaceae, by X-ray analysis. *Tetrahedron Lett.* 13(10):909-912.
- Adam, S. E. (1998). Toxicity of *Rhazya stricta* to sheep. *Vet Hum Toxicol.* 10(2):68-69.
- Ageel, A. M., Mossa, J. S., Al-Yahya, M. A., Tariq, M. and Al-Said, M. S. (1987). Plants Used in Saudi Folk Medicine. King Abdul Aziz City for Science and Technology. Riyadh (KSA): King Saud University Press.
- Ahmad, Y., Fatima, K. and Le-Quesne, P. W. (1983). Further alkaloidal constituents of the leaves of *Rhazya stricta*. *Phytochem.* 27:1017-1019.
- Ahmad, Y., Le Quesne, P. W. and Neuss, N. (1971). Sewarine, a new phenolic akuammicine alkaloid from *Rhazya stricta*. *J Pharamcol Sci.* 60(10):1581-1583.
- Akhila, J. S., Shyamjith, D. and Alwar, M. C. (2007). Acute toxicity studies and determination of median lethal dose. *Indian Academy of Sciences.* 93:917-920.
- Ali, B. H. (1997). The effect on plasma glucose, insulin and glucagon levels of treatment of diabetic rats with the medicinal plant *Rhazya stricta* and with glibenclamide, alone and in combination. *J Pharmacol.* 49(10):1003-1007.

Ali, B. H. (2002). The effect of treatment with the medicinal plant *Rhazya stricta* decne on gentamicin nephrotoxicity in rats. *Phytomed.* 9(5):385-389.

Ali, B. H., Al- Qarawi, H., Bashir, A. K. and Tanira, M. O. (2000c). Phytochemistry, pharmacology and toxicity of *Rhazya stricta* Decne: a review. *Phytother Res.* 14:229-234.

Ali, B. H., Al- Qarawi, H., Mousa, H. M., Bashir, A. K. Tanira, M. O. M., Patel, M. and Bayoumi, R. (2000b). Concentration of amino acids in brains of mice treated with the traditional medicinal plant *Rhazya stricta* Dence. *Indian J Pharmacol.* 32:253-254.

Ali, B. H., Bashir, A. K. and Rasheed, R. A. (2001). Effect of the traditional medicinal plants *Rhazya stricta*, *Balanitis aegyptiaca* and *Haplophylum tuberculatum*, on paracetamol-induced hepatotoxicity in mice. *Phytother Res.* 15:598-603.

Ali, B. H., Bashir, A. K. and Tanira, M. O. (1998). The effect of *Rhazya stricta*, a traditional medicinal plant, on the forced swimming test in rats. *Pharmac Biochem Behav.* 59:547-550.

Ali, B. H., Bashir, A. K. and Tanira, M. O. (1999). The effect of *Rhazya stricta* Decne, a traditional medicinal plant, on spontaneous and drug-induced alterations in activity of rats. *Pharmacol Biochem Behav.* 64(3): 455-460.

Ali, B. H., Bashir, A. K. and Tanira, M. O. (2000a). The anti-oxidant action of *Rhazya stricta* in rats. *Phytother Res.* 14(6):469-471.

Ali, B. H., Bashir, A. K., Tanira, M. O. and Banna, S. (1995). Some central nervous system actions of *Rhazya stricta* in mice. *Clin Exp Pharmacol Physiol.* 20:496-502.

Allain, C. C., Poon, L. S., Chan, C. S. G., Richmond W. and Fu, P. C. (1974). Enzymatic determination of total serum cholesterol. *Clin Chem.* 20:470-475.

Alwan, A. A. H., Mahmoud, M. J. and Naji, A. (1990). Effects of plant extracts on aryl hydrocarbon hydroxylase activity and tritiated benzo(a)pyrene binding to DNA. *J. Food Safety,* 10:209-218.

Al-Yahya, M. A., Al-Meshal, I. A. Mossa, J. S., Al-Badr, A. A. and Tariq, M. (1990). Saudi Plants: A Phytochemical and Biochemical Approach. King Abdul Aziz City for Science and Technology. Riyadh (KSA): King Saud University Press.

Aniszewski, T. (2007). Alkaloids: The Secret of Life, Elsevier B. V.

Atta-ur-Rahman, and Zaman, K. (1984). The isolation and structure of Stritimine, a new piperidine alkaloid from the roots of *Rhazya stricta*. *Heterocycles.* 22:2023-2027.

Atta-ur-Rahman, and Zaman, K. (1986). 1,2-dehydroaspidospermidine-N-oxide, an alkaloid from *Rhazya stricta*. *Phytochem.* 25(7):1779-1780.

Baeshen, N. A., Lari, S. A., Aldoghaither, H. A. and Elkady, A. I. (2010). Biochemical evaluation of the effect of *Rhazya stricta* aqueous leaves extract in liver and kidney functions in Rats. *Nature and Science* 8(4): 136-142.

Baeshen, N. A., Qari, S. H., Sabir, J. S. M. and Alhejin, A. M. (2008). Biochemical and molecular evaluation of genetic effects of *Rhazya*

stricta (Decne) leafs extract on *Aspergillus terreus*. *Saudi J Biol Sci.* 15: 25-33.

Baeshen, N. A., Sabir, J. S. and Qari, S. H. (2009a). Cytogenetic and molecular evaluation of genetic effects of leaf extract of *Rhazya stricta* (Decne) on *Allium cepa* root tip meristem. *Egypt J Genet Cytol.* 38:73-83.

Baeshen, N. A., Sabir, J. S. M., Abo-Aba, S. E. M., Qari, S. H. and Arabia, S. (2009b). Evaluation of the cytogenetic status and DNA integrity of human lymphocytes after exposure to an aqueous extract of *Rhazya stricta* leaves *in vitro*. *J Appl Sci Res.* 5:986-994.

Baeshin, N., El-Twaty, N. and Al-Hebshi, A. (2005). Evaluating the genotoxicity of *Rhazya stricta* leaves extract by the *Saccharomyces cerevisiae* auxotrophic mutant test. *Egy. J. Nat. Toxins.* 2:87-100.

Banerji, A., Majumder, P. L. and Chatterjee, A. (1970). Occurrence of geissoschizine and other minor biogenetically related alkaloids in *Rhazya stricta*. *Phytochem.* 9(7):1491-1493.

Banwell, M. G., Edwards, A. J., Jolliffe, K. A., Smith, J. A., Hamel, E. and Verdier-Pinard, P. (2000). Convergent synthesis and preliminary biological evaluation of (\pm)-B-norrhazinal total synthesis of (\pm)-rhazinal, an alkaloidal spindle toxin from *Kopsia teoi*. *J Chem Soc Perkin Trans.* 1:1497-1499.

Bashir, A. K., Abdulla, A. A., Wasfi, I. A., Hassan, M. H., Amiri, M. A., Crabb, T. A. (1994). Phytochemical and antimicrobial studies on the leaves of *Rhazya stricta* growing in United Arab Emirates. *Fitoterapia* 35: 84-85.

Bhattacharya K, Yadava S, Papp T, Schiffmann D, Rahman Q: Reduction of chrysotile asbestos-induced genotoxicity in human peripheral blood lymphocytes by garlic extract. *Toxicol Lett* 2004, 153(3):327-32

Bjelke, E. (1974). Epidemiologic studies of the cancer of the stomach, colon and rectum. *Scand. J. Gastroenterol.* 9:1-235.

Bonora, E., Targher, G., Alberiche, M., Bonadonna, R. C., Saggiani, F., Zenere, M. B., Monauni, T. and Muggeo, M. (2000). Homeostasis model assessment closely mirrors the glucose clamp technique in the assessment of insulin sensitivity: studies in subjects with various degrees of glucose tolerance and insulin sensitivity. *Diabetes Care*. 23:57-63.

Bowie, A. L. J., Hughes, C. C. and Trauner, D. (2005). Concise synthesis of (\pm)-Rhazinilam through direct coupling. *Org Lett.* 7(23):5207-5209.

Cassady, J. M., Zennie, T. M., Chae, Y., Ferin, M. A., Portouno, N. E., and Baird, W. M. (1988). Use of a mammalian cell culture benzo(a)pyrene metabolism assay for the detection of potential anticarcinogens from natural products: inhibition of metabolism by biochanin A, an isoflavone from *Trifolium pratense* L. *cancer res.* 48:6257-6261.

Chitnis, M. P., Khandalekar, D. D., Adwankar, M. K. and Sahasrabudhe, M. B. (1971). Anticancer activity of the extracts of root, stem & leaf of Ervatamia heyneana. *Indian J Exp Biol.* 9:268-270.

Collins, A. R., Oscoz, A. A., Brunborg, G., Gaivão, I., Giovannelli, L., Kruszewski, M., Smith, C. C. and Šteťina, R. (2008). The comet assay: topical issues. *Mutagenesis*. 23(3):143–151.

Daghestani, A. (1997). Images in psychiatry. Al-Razi (Rhazes). *Am J Psychiatry*. 154(11):1602.

David, B., Sevenet, T., Morgat, M., Guenard, G., Moisand, A., Tollon, Y., Thoison, O. and Wright, M. (1994). Rhazinilam mimics the cellular effects of taxol by different mechanisms of action. *Cell Motil Cytoskeleton*. 28(4):317-326.

DeFronzo, R. A. and Ferrannini, E. (1991). Insulin resistance: a multifaceted syndrome response for NIDDM, obesity, hypertension, dyslipidemia and atherosclerotic cardiovascular disease. *Diabetes Care*. 14:173-194.

Dhir, H., Sharma, A. and Talulder, G.(1986). Cytotoxic action of lead on plant System. *Acta. Botanica Indica* , 14: 213-219.

El Kadi, A. O., Tanira, M. O. M., Ali, B. H., Bashir, A. K. and Souich, P. D. (2003). The effect of a strongly basic alkaloidal fraction of *Rhazya stricta*, a traditional medicinal plant, on cytochrome P450 mediated metabolism of theophylline in mice. *Phytother Res*. 17(6):688-690.

El-Midaoui, A. and de Champlain, J. (2002). Prevention of hypertension, insulin resistance, and oxidative stress by -lipoic acid. *Hypert*. 39:303-307.

Erexson, G. L. (2003). Lack of in vivo clastogenic activity of grape seed and grape skin extracts in a mouse micronucleus assay. *Food chem. Toxicol*. 41(3):347-50.

Ferrannini, E. (1988). Insulin resistance: a target. *Journ Annu Diabetol Hotel Dieu*. 213-233.

Finlay, J. W. A. and Dillard, R. F. (2007). Appropriate calibration curve fitting in ligand binding assays. *AAPS J.* 9(2):E260- E267.

Fossati, P. and Prencipe, L. (1982). Serum triglycerides determined colorimetrically with an enzyme that produces hydrogen peroxide. *Clin Chem.* (10):2077-2080.

Gari, S. (2006). Cytogenetic and molecular evaluation of genetic effects of leaves extract of *Rhazya stricta* (Dence). Ph.D. Thesis, King Abdulaziz University, Jeddah, Saudi Arabia.

Gelmon, K. A. (1994). Biweekly paclitaxel (Taxol) and cisplatin in breast and ovarian cancer. *Semin Oncol.* 21(5 Suppl 8):24-28.

Gerasimenko, I., Ma, X., Sheludko,Y., Mentele, R., Lottspeich, F. and Stöckigt, J. (2004). Purification and partial amino acid sequences of the enzyme vinorine synthase involved in a crucial step of ajmaline biosynthesis. *Bioorg Med Chem.* 12(10):2781-2786.

Gilani, S. A., Kikuchi, A., Shinwari, Z. K., Khattak, Z. I. and Watanabe, K. N. (2007). Phytochemical, pharmacological and ethnobotanical studies of *Rhazya stricta* Decne. *Phytother Res.* 21(4):301-307.

Giri, A. K., Singh, O. P., sharma, A., Sunal, R. and Talukder, G.(1984). Comparative effects of chronic treatment with certain metals on cell division. *Cytologia*, 4: 654-665.

Graham, S., Dayal, H., Swanson, M., Mittelman, A. and Wilkinson, G. (1978). Diet in the epidemiology of cancer of the colon and rectum. *J. natl. cancer res. Inst.* 61:709-714.

Haenzel, W., Kurihara, M., Locke, F. B., Shimuzu, K. and Sege, M. (1976). Stomach cancer in Japan. *J. Nati. cancer Inst.* 56:265-278.

Han, C. and Yong, X. (1990). The effects of Chinese tea on occurrence of esophageal tumor induced by N-nitrosomethyl benzylamine in rats. *Biomed. environm. sci.* 3:35-42.

Hartwell, J. L. (1967). Plants used against cancer. A survey. *Lloydia*. 30:379-436.

Jena, G. B., Nemmani, K. V., Kaul, C. L., Ramarao, P. (2003). Protective effect of a polyherbal formulation (immu-21) against cyclophosphamide-induced mutagenicity in mice. *Phytother res.* 17(4):306-310.

Kaneko, H. and Namba, K. (1967). Studies on non-alkaloidal constituents of Indian medicinal plant, *Rhazya stricta* Decaisne. *Yakugaku Zasshi*. 87(4):430-433.

Kura's, M., Pilarski, R., Nowakowska, J., Zobel, A., Brzost, K., Antosiewicz, J. and Gulewicz, K. (2009). Effect of alkaloid-free and alkaloid-rich preparations from *Uncaria tomentosa* bark on mitotic activity and chromosome morphology evaluated by Allium Test. *J Ethnopharmacol.* 121:140–147.

Kuttan, R., Hhanumathy, P., Nirmala, K. and George, M. C. (1985). Potential anticancer activity of turmeric (*Curcuma longa*). *Cancer lett.* 29:197-202

Lazutka, J. R., Mierauskiene, J. Slapsyte, G. Dedonyte, V. (2001). Genotoxicity of dill (*Anethum graveolens* L.), peppermint (*Mentha x piperita* L.) and pine (*Pinus sylvestris* L.) essential oils in human lymphocytes and *drosophila melanogaster*. *Food chem. Toxicol.* 39(5):485-92.

Mani, A. and Al-Hinai, M. (1998). Toxicity of Harmal, *Rhazya stricta*, to *Meloidogyne incognita* and *Pratylenchus jordanensis*. *Nematol Med.* 26: 27-30.

Mariee, N. K., Khalil, A. A., Nasser, A. A., Al-Hiti, M. M. and Ali, W. M. (1983). Isolation of the antimicrobial alkaloid stemmadenine from Iraqi *Rhazya stricta*. *J Nat Prod.* 51(1):186-187.

Matthews, D. R., Hosker, J. P., Rudenski, A. S., Naylor, B. A., Treacher, D. F. and Turner, R. C. (1985). Homeostasis model assessment: insulin resistance and beta-cell function from fasting plasma glucose and insulin concentrations in man. *Diabetes Care.* 25(10):1891-1892.

Morita, H., Awang, K., Hadi, A., Takeya, K., Itokawa, H. and Kobayashi, J. (2005). Conformational analysis of rhazinilam and three-dimensional quantitative structure- activity relationships of rhazinilam analogues. *Bioorg Med Chem Lett.* 15:1045-1050.

Mukhopadhyay, S., El-Sayed, A., Handy, G. A. and Cordell, G. A. (1983). Catharanthus alkaloids XXXVII. 16-epi-Z-isositsirikine, a monomeric indole alkaloid with antineoplastic activity from *Catharanthus roseus* and *Rhazya stricta*. *J Nat Prod.* 46(3):409-413.

Mukhopadhyay, S., Handy, G. A., Funayama, S. and Cordell, G. A. (1981). Anticancer indol alkaloids of *Rhazya stricta*. *J Nat Prod.* 44(6): 696-700.

Mukundan, M. A., Ckacko, M. C., Annapurna, V. V. and Krishnnaswamy, K. (1993). Effect of *turmeric* and *curcumin* on BP-DNA adducts. *Carcinogenesis.* 14(3):493-496.

Ochi, T., Takahahi, K. and Ohsawa, M. (1987). Indirect evidence for the induction of a prooxidant state by cadmium chloride in cultured

mammalian cells and a possible mechanism for the induction. *Mutat res.*, 180:257-266.

Organization for Economic Operation and Development. (1997). Guidelines for Testing of Chemicals n. 474. Mammalian Erythrocyte Micronucleus Test. Paris, pp 1-10.

Raffauf, R. (1996). plant alkaloids: a guide to their discovery and distribution. *Hawkworth Press, Inc.*, New York.

Rahman, A. U., Fatima, T. and Khanum, S. (1988). 15-beta-Hydroxyvincadifformine, an alkaloid from the leaves of *Rhazya stricta*. *Phytochem.* 27(11):3721-3724.

Rasheed, R. A., Bashir, A. K., Ali, B. H. and Padmanabhan, R. (1997). Effect of *Rhazya stricta* on the developing fetus. *Reprod Toxicol.* 11(2-3):191-199.

Saeed, S. A., Simjee, R. U., Mahmood, F., Sultana, N. and Atta-ur-Rahman (1993). Rhazimine from *Rhazya stricta*: a dual inhibitor of arachidonic acid metabolism and platelet activating factor-induced platelet aggregation. *Planta Med.* 59(6):566-568.

Salamone, M. F. and Heddle, J. A. (1983). The bone marrow micronucleus assay: Rationale for a Revised Protocol. In: Chemical Mutagens (Serres, F.J., ed.). *Plenum Press*, New York, vol. 8, pp. 111-149.

Schumann, G., Bonora, R., Ceriotti, F., Clerc-Renaud, P., Ferrero, C. A. and Ferard, G. (2002). IFCC primary reference procedures for the measurement of catalytic activity concentrations of enzymes at 37 degrees C. International Federation of Clinical Chemistry and Laboratory

- Medicine. Part 2. Reference procedure for the measurement of catalytic concentration of creatine kinase. *Clin Chem Lab Med.* 40: 635–642.
- Shamsa, F., Monsef, H., Ghamooshi, R. and Verdian-rizi, M. (2008). Spectrophotometric determination of total alkaloids in some Iranian medicinal plants. *Thai J Pharmacol Sci.* 32:17-20.
- Sheludko, Y., Gerasimenko, I. and Platonova, O. (2000). Divergence of the indole alkaloid pattern in two somatic hybrid plant cell subcultures of *Rauvolfia serpentina* x *Rhazya stricta*. *Planta Med.* 66(7):656-659.
- Siddiqui, S. and Bukhari, A. (1972). I-leucopenic effect of *Rhazya stricta*. *Nature.* 235(538): 393
- Sreevidya, N. and Mehrotra, S. (2003). Spectrophotometric method for estimation of alkaloids precipitable with Dragendorff's reagent in plant materials. *AOAC International.* 86:1124-1127.
- Tanira, M. O., Ali, B. H., Bashir, A. K. and Chandranath, I. (1996a). Some pharmacologic and toxicologic studies on *Rhazya stricta* decne in rats, mice and rabbits. *Gen Pharmacol.* 27(7): 1261-1267.
- Tanira, M. O., Ali, B. H., Bashir, A. K. and Dhanasekaran, S. (1999). The effect of *Rhazya stricta* strongly basic alkaloidal fraction on rat brain catcholamines. *Br J Pharmacol.* 128 (Suppl 1):177.
- Tanira, M. O., Ali, B. H., Bashir, A. K., Dhanasekaran, S., Tibirica, E. and Alves, L. (2000). Mechanism of of the hyptotensive action of *Rhazya stricta* leaf extract in rats. *Pharmacol Res.* 41(3):369-378.
- Tanira, M. O., Ali, B. H., Bashir, A. K., Medveder, E., Sandler, M. and Glover, V. (1997). The effects of *Rhazya stricta* Decne on rat brain

- monoamine oxidase A and B inhibitory activity (tribulin). *Pharmacol.* 39: 119.
- Tanira, M. O., Ali, B. H., Bashir, A. K., Wasfi, I. A. and Chandranath, I. (1996b). Evaluation of the relaxant activity of some United Arab Emirates plants on intestinal smooth muscles. *J Pharm Pharmacol.* 47: 457-459.
- Tayama, S., Nakagawa, Y. and Tayama, K. (2008). Genotoxic effects of environmental estrogen-like compounds in CHO-K1 cells. *Mutation Res.* 649:114–125.
- Teupser, D., Thiery, J., Walli, A. K. and Seidel, D. (1996). Determination of LDL-and scavenger-receptor activity in adherent and non-adherent cultured cells with a new single-step fluorometric assay. *Biochimica et Biophysica Acta.* 1303:193-198.
- Trinder, P. (1969). Determination of glucose in blood using glucose oxidase with an alternative oxygen accepter. *Ann Clin Biochem.* 6:24-27.
- Trinder, P. and Webster, D. (1984). Determination of HDL-cholesterol using 2,4,6-tribromo-3-hydroxybenzoic acid with a commercial CHOD-PAP reagent. *Ann Clin Biochem.* (5):430-433.
- Trost, B. M. and Jiang, C. (2006). Catalytic enantioselective construction of all-carbon quaternary stereocenters. *Synthesis.* 3:369-396.
- Vassault, A., Grafmeyer D. and Naudin C. (1986). Protocol for the validation of methods. *Ann Biol Clin.* 44:686-745.
- Wasfi, I. A., Bashir, A. K., Amiri, M. H. and Abdalla, A. A. (1994). The effect of *Rhazya stricta* on glucose homeostasis in normal and streptozotocin diabetic rats. *J Ethnopharmacol.* 43(2):141-147.

Western, A. R. (1989). *Rhazya stricta* Decne. In The Flora of the United Arab Emirates an Introduction. *United Arab Emirates University Press*: Al-Ain; 111.

Williams, J. G., Kubelik, A. R., Livark, K. J., Rafalski, J. A. and Tingey, S. V. (1990). DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Res.* 18(22):6531-6535.